







The Regency City Series of modern gas fireplaces offer unmatched design flexibility, quality, and contemporary styling. These stunning fireplaces create a unique focal point in your home and provide the calming ambiance of a large fire with just the push of a button.

- TRUE FRAMELESS FIRE & SEAMLESS GLASS BARRIER
- PLACE A TV OR ARTWORK DIRECTLY ABOVE THE FIREPLACE WITH NO LIMITATIONS
- USE ANY MATERIAL RIGHT TO THE EDGE OF THE FIRE, EVEN WOOD OR WALLPAPER
- INDUSTRY'S BEST, MOST COMPREHENSIVE, LIMITED LIFETIME WARRANTY



Table of Contents

	> Sun Francisco Bay	
04	CB40E • CB40EPV	
06	CB60E	
08	CB72EPV	
	> Chicago Corner	
10	CC40RE • CC40LE • CC40REPV • CC40LEPV	
	CB60E • CB72EPV with	
12	corner installation kit	
	> New York View	
14	CV40E • CV40EPV	
16	CV60E	
18	CV72E • CV72EPV	
20	City Series Features	
26	Accessories	
27	Specifications	



San Francisco Bay



CB40E · CB40EPV

Create the look you desire with flexible finishing options, linear design, and stunning log/crystal and flame picture. The San Francisco Bay sparks conversations and welcomes visitors to your home. Enjoy the comfort and ambiance of the unmatched City Series San Francisco Bay 40.

VIEWING AREA						
WIDTH	TH HEIGHT DEPTH					
47"	15-1/16"	14-11/16"				





San Francisco Bay



CB60E

Create an elegant, stunning focal point with the San Francisco Bay 60. This newest addition to the City Series line is the perfect fit to add the right amount of romance and drama for a medium to large room. The City Series 60" offers a modern, clean design with an impressive 3-sided viewing area that will take your breath away day-after-day.

VIEWING AREA						
WIDTH	HEIGHT	DEPTH				
68-1/2"	18"	14-1/2"				





San Francisco Bay



CB72EPV

The City Series San Francisco Bay 72 is the largest of our City Series models. The 72" Bay is guaranteed to impress, get your guests talking, and create a stunning one of a kind fireplace. Flexible installation and finishing options make this unit a designer's and homeowner's dream.

VIEWING AREA						
WIDTH	HEIGHT DEPTH					
82-13/16"	15"	14-11/16"				







Available as either a Left or Right corner unit with flexible venting options, the Chicago Corner 40 is perfect as a standalone design feature, or as a stunning accent in any room. Flexible installation, unlimited finishing options, and limitless potential is available with the Chicago Corner 40.

VIEWING AREA						
WIDTH	HEIGHT	DEPTH				
42-15/16"	15-1/16"	14-11/16"				





Chicago Corver CB60E & CB72EPV with Corner Installation Kit



Bring the large luxury of the San Francisco Bay 60 and 72 to your home with our unique corner installation. With a Corner installation kit, the Bay 60 or 72 can be transformed into a Chicago Corner, creating a stunning large-faced corner unit, unlike anything you have ever seen before.





New York View



CV40E · CV40EPV

With it's simple, elegant design the New York View 40 brings the flexibility and beauty of the City Series to any home. A frameless design and stunning flame picture are sure to continue grabbing your attention for years to come. Add extended view panels to create the appearance of a longer fireplace to balance large artwork or TVs.

VIEWING AREA				
WIDTH HEIGHT				
38-13/16"	15-1/16"			





New York View CV60E



The New York View 60 is a single-sided modern gas fireplace that features Regency's patented Cool Wall System and frameless double glass safety barrier. With a refined flame picture and increased glass viewing area, the CV60 is sure to amaze, offering the ultimate in design flexibility and fire views.

VIEWING AREA					
WIDTH	HEIGHT				
60-7/16"	18"				





New York View CV72E · CV72EPV



The New York 72 offers an impressively large viewing area. The sheer size of this fireplace is sure to spark conversation. With a stunning flame picture, your choice of fireplace media, and the ability to finish with any material, you can create a beautiful focal point in any room.

VIEWING AREA					
WIDTH	HEIGHT				
72"	15"				





Extended View Panels

Flush to the wall and reflective, black glass extended view panels focus the eye, create visual balance, and amplify flames for maximum impact. A literal expansion of City Series' frameless firebox, extended view panels integrate seamlessly for a striking, modern, linear look.

- Create the illusion of a larger fireplace
- Establish balance on a multi-function fireplace feature wall
- · Black glass reflective finish amplifies the flame experience
- Can be used on New York 40, 60 & 72 models to extend the length by 24"

In this photo, the fireplace is overshadowed by a large television, creating a top heavy fireplace feature wall



In this photo, the fireplace achieves visual prominence and balance with the addition of black glass extended view panels


Unlimited Finishes

NO LIMITS. NO RESTRICTIONS.

Designed to maintain a cool wall to accommodate custom finishes right to the edge of your fireplace!

ADVANTAGES

- Place a TV above the fireplace without it getting damaged
- · Hang artwork without fear of warping
- · Paint will not discolor, drywall will not crack
- No internal fans required
- · Use any finish right to the edge of the fire, even wood or wallpaper



FRAMELESS FIRE

- An uninterrupted view of the flames
- · Seamlessly integrates into any interior
- Invisible glass safety barrier (patented)
- · No frames, mesh or silicone
- Integrated liner panel options and black glass accessories
- · Available in single-sided, two-sided and three-sided designs



Controllable Warmth


FLEXIBLE VENTING OPTIONS

Regency's patented cool wall system releases warmth at ceiling level. This system reduces excessive radiant heat in front of the fireplace so you can enjoy your fireplace more often.

- Design your own chase vent solution to suit your home
- Use optional front or side chase vent grills
- Release warmth into the room discreetly








Side

Power Vent Systems


Regency's power vent systems allow for longer vertical and horizontal vent runs making it possible for designers and architects to build with freedom and flexibility.

INLINE POWER VENT SYSTEM

- · Allows for both vertical and horizontal termination with Regency's Astrocap
- Vent runs up to 72 ft.
- Use up to six 90° elbows or twelve 45° elbows
- · Use flex vent or rigid pipe
- · Access panel required for servicing




Inline Power Vent system shown vertical vent run



Inline Power Vent system shown horizontal vent run

FLUSH HORIZONTAL TERMINATION POWER VENT

- Horizontal power vent wall termination cap can be installed flush or adjusted to the depth of your wall
- No access panel required for servicing (Only if accessible from exterior of home)
- · Can be painted to match the exterior of outside wall
- Vent runs up to 72 ft
- Allows for 7 ft negative vent run below first elbow
- Use up to six 90° elbows or twelve 45° elbows
- · Use flex vent or rigid pipe



End of line flush horizontal Power Vent system shown in a negative vent run

Create Your Own Fireplace



COMPACT CHASE FRAMING KIT



EXTENDED CHASE FRAMING KIT



CORNER CHASE STARTER KIT

OPTIONAL FRAMING KITS

40" UNITS	WIDTH	DEPTH	HEIGHT (ADJUSTABLE)
Compact chase	48-1/2"	18-3/4"	46-3/4" - 87-1/4"
Extended chase	60-1/4"	18-3/4"	54" - 94-3/4"
Extended hearth	68-1/2"	25-1/4"	8-1/2" - 11-1/2"
Corner chase starter kit	49-3/4"	18"	62-7/8" Bottom of unit to top of framing kit

60" UNITS	WIDTH	DEPTH	HEIGHT
Compact chase starter kit	71-5/16"	20-3/8"	78-1/2" Bottom of unit to top of framing kit

72" UNITS	WIDTH	DEPTH	HEIGHT
Compact chase starter kit	82-7/8"	20-3/8"	83-1/2" Bottom of unit to top of framing kit





Regency steel framing kit

FIREBED OPTIONS



Glass Crystals & Split Oak Log Set



Glass Crystals & Birch Log Set



Glass Crystals & Driftwood Log Set



Glass Crystals & Volcanic Stones



Starfire Crystals & Iceberg Crushed Glass



Reflective Black Crystals & Black Coal Crushed Glass

INTERIOR OPTIONS



Matte Black Panels



Reflective Black Enamel Panels



Premium Reflective Black Glass Panels

REMOTE



Proflame II

COOL WALL SYSTEM

Our patented system draws the cool air around the floating glass safety barrier. Cooler air is then split between the heat exchanger and the inside wall surface. The air travelling through the heat exchanger is heated by the fireplace and then directed out the back of the fireplace. The combined warmed air is then vented back into the room.



CORNER INSTALLATION KIT

The corner installation kit transforms a San Francisco Bay 60 or 72 into a Chicago Corner creating a stunning large-faced corner unit unlike anything you have ever seen before.



ACCESSORIES

		CB40E • CB40EPV	CB60E	CB72EPV	CC40RE • CC40LE • PV	CV40E • CV40EPV	CV60E	CV72E • CV72EPV	
		✓	✓	✓	✓	✓	✓	✓	
		Crystals in various colors	*	*	*	*	*	*	*
	Firebed	Firebeads in various colors	*	*	*	*	*	*	*
		Sea wool	✓	✓	✓	✓	✓	✓	✓
		Crushed glass in various colors	*	*	*	*	*	*	*
	For firebox	Ceramic spa stones	*	*	*	*	*	*	*
	floor	Volcanic stones	*	*	*	*	*	*	*
Interior options		Natural river pebbles	*	*	*	*	*	*	*
		Driftwood log set	*	*	*	*	*	*	*
	Log set	Split oak log set	*	*	*	*	*	*	*
		Birch log set	*	*	*	*	*	*	*
		Matte black	*	*	*	*	*	*	*
	Inner panels	Black enamel	*	*	*	*	*	*	*
	panets	Black glass	*	*	*	*	*	*	*
Glass safety bar	rier (paten	ited)	✓	✓	✓	✓	✓	✓	✓
3/4" Faceplate			•	•	•	•	*	*	•
Extended view s	de panels		•	•	•	•	*	*	*
Corner installati	on kit		•	✓	✓	•	•	•	•
	Compact	chase	*	•	•	•	•	•	•
Fuencia a like	Extended	d chase	*	•	•	•	•	•	•
Framing kits	Extended	d hearth	*	•	•	•	•	•	•
	Starter k	it		*	*	*	•	•	•
Hearth top - bla	ck glass		✓	•	•	•	•	•	•
TV wiring kit			*	*	*	*	*	*	*
Chana zwilla	Front cha	ase grill	*	*	*	*	*	*	*
Chase grills	Side cha	se grill 2pk	*	•	•	*	*	•	•
Accent lights			✓	✓	✓	✓	✓	✓	✓
Controls	Proflame	e II GTMF	✓	✓	✓	✓	✓	✓	✓
	Direct ve	ent	✓	✓	•	✓	✓	✓	✓
	Power vent		✓	•	✓	✓	✓	•	✓
Venting	AstroCap	o® venting system	*	*	*	*	*	*	*
	Heat Wav	ve™ power duct system	*	•	*	*	*	•	*
	Heat Wav	ve adapter	*	•	•	*	*		•
Propane convers	ion kit		*	*	*	*	*	*	*

[·] Not available

[✓] Standard

[★] Optional

SPECIFICATIONS

> Natural Gas


SPECIFICATIONS - NATURAL GAS		INPUT (BTU)	INPUT (BTU) TURN DOWN TO (BTU)		ENERGUIDE RATING (CANADA ONLY)	
	CB40E	28,500	15,500	60.02%	55.23%	
Can Francisco Day	CB40EPV	28,500	15,500	57.73%	60.02%	
San Francisco Bay	CB60E	39,000	27,000	60.86%	56.23%	
	CB72EPV	46,500	32,000	61.65%	63.39%	
Chianga Caynay	CC40RE • CC40LE	28,500	15,500	60.02%	55.23%	
Chicago Corner	CC40REPV • CC40LEPV	28,500	15,500	57.73%	60.02%	
	CV40E	28,500	15,500	60.02%	55.23%	
	CV40EPV	28,500	15,500	57.73%	60.02%	
New York View	CV60E	39,000	21,000	55.44%	51.22%	
	CV72E	46,500	32,000	63.06%	57.81%	
	CV72EPV	46,500	32,000	61.66%	63.39%	

> Propane

SPECIFICATIONS -	PROPANE	INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
	CB40E	28,500	15,500	60.70%	56.06%
Can Francisco Dav	CB40EPV	28,500	15,500	58.32%	60.85%
San Francisco Bay	CB60E	36,000	19,500	61.77%	56.43%
	CB72EPV	45,500	36,000	64.20%	65.52%
Chinaga Caynay	CC40RE • CC40LE	28,500	15,500	60.70%	56.06%
Chicago Corner	CC40REPV • CC40LEPV	28,500	15,500	58.32%	60.85%
	CV40E	28,500	15,500	60.70%	56.06%
	CV40EPV	28,500	15,500	58.32%	60.85%
New York View	CV60E	36,000	19,500	55.67%	51.96%
	CV72E	45,500	32,000	63.83%	60.61%
	CV72EPV	45,500	36,000	64.20%	65.52%


HEAT DISTRIBUTION KIT


Increase the effectiveness of your fireplace by dispersing warm air from the fireplace to remote locations in the same room or other rooms in your home by using the Heat WaveTM power duct system.




Specifications


San Francisco Bay units:










Chicago Corner units :









New York View units:









	CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	CC40RE • CC40LE + PV	CV40E • CV40EPV	CV60E	CV72E • CV72EPV
Α	48-7/16"	71-1/4"	82-11/16"	43-5/8"	40"	60-7/16"	72"
В	49-5/8"	72-5/16"	83-7/8"	47-3/8"	46-1/4"	65-11/16"	77-7/16"
С	11-7/16"	13"	13"	11-7/16"	11-7/16"	13-9/16"	13"
D	7-1/4"	7-1/4"	7-3/8"	7-1/4"	7-1/4"	7-1/4"	7-3/8"
E	37-3/8"	39-1/4"	46"	37-3/8"	37-3/8"	39-5/16"	46"
F	15-1/16"	18"	15-1/16"	15-1/16"	15-1/16"	16"	15-1/16"
G	10-1/2"	10-1/4"	10-1/4"	10-1/2"	10-1/2"	10-1/4"	10-1/4"
Н	18-11/16"	20-5/16"	20-3/8"	18-11/16"	18-11/16"	20-5/16"	20-3/8"
ı	14-11/16"	16"		14-11/16"		16"	


UNITS	VENTING
CB40E, CB40EPV, CB60EPV, CB72EPV	4" x 6-5/8"
CC40RE/LE, CC40REPV/LEPV	4" x 6-5/8"
CV40E, CV40EPV	4" x 6-5/8"
CB60E, CV60E, CV72E	5" x 8"
CV72EPV	4" x 6-5/8"


CLEARANCES


San Francisco Bay units :















CLEARANCES		CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	
A	From Floor	Min. 0"	Min. 0"	Min. 0"	
A1	Mantel Height (min.)	**	**	**	
В	Sidewall (on one side)	8-1/2"	5-7/8"	8"	
С	Enclosure Width (min.)	48-7/16"	71-1/4"	82-11/16"	
D	Mantel Depth (max.)	**	**	**	
E	Alcove Width	84"	119-1/2"	120"	
F	Alcove Depth	36"	35"	36"	
G	To Enclosure Ceiling (min./max.)	0 - 3"	0 - 2"	0 - 2"	
Н	Convection Air Outlet	120 sq. in.	180 sq. in.	288 sq. in.	
ı	Enclosure Depth (min.)	19"	20-5/16"	20-3/8"	
J	Opening Height	15-1/16"	18"	15-1/16"	
K	To Ceiling (min.) - All 3 sides	1-1/2"	1-3/4"	2-1/2"	
L	Chase Enclosure (min.)	63"	81-1/4"	87"	
М	Clearance to Sprinkler Head (min.)	36"	36"	36"	

^{**} See mantel clearances chart in the manual.

CLEARANCES


Chicago Corner units :



CLE	ARANCES	CC40RE • CC40LE + PV
Α	Mantel Height (min.)	**
В	Opening Height	15-1/16"
С	From Floor	Min. 0"
D	Sidewall (on one side)	Min. 36"
E	Mantel Depth (max.)	**
F	Alcove Depth	Min. 36"
G	Convection Air Outlet	120 sq. in.
Н	Convection Air Outlet Opening Offset	0 - 3"
I	Chase Enclosure (min.)	63"
K	Clearance to Sprinkler Head (min.)	36"

^{**} See mantel clearances chart in the manual.

New York View units:



CLEARANCES		CV40E • CV40EPV	CV60E	CV72E • CV72EPV	
Α	Mantel Height (min.)	**	**	**	
B1	From Floor	Min. 0"	Min. 0"	Min. 0"	
B2	Opening Height	15-1/16"	18"	15-1/2"	
С	Sidewall (on one side)	8-1/2"	8-1/2"	8"	
D	Mantel Depth (max.)	**	**	**	
E	Alcove Width	84"	109-1/2"	88"	
F	Alcove Depth	36"	35"	36"	
G	Ceiling (in front of fireplace)	37-1/2"	53"	61-3/4"	
Н	Convection Air Outlet	120 sq. in.	180 sq. in.	288 sq. in.	
J	Convection Air Outlet Opening Offset	0 - 3"	0 - 2"	0 - 2"	
K	Chase Enclosure (min.)	63"	81-1/4"	87"	
L	Clearance to Sprinkler Head (min.)	36"	36"	36"	


^{**} See mantel clearances chart in the manual.


FRAMING


San Francisco Bay units:



New York View units:








FRAMING	CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	CC40RE • CC40LE + PV	CV40E • CV40EPV	CV60E	CV72E • CV72EPV
A Framing Height	37-3/8"	41-1/4"	51"	37-3/8"	37-3/8"	44-3/4"	51"
B Framing Width	48-1/2"	71-1/4"	82-11/16"	48-1/4"	46-3/4"	65-11/16"	78"
C Framing Depth	19"	20-5/16"	20-5/8"	19"	19"	20-5/16"	20-5/8"
D Minimum Height to Combustibles	63"	81-1/4"	87"	63"	63"	81-1/4"	87"
E Corner Wall Depth	-	-	-	-	55"	73-7/16"	82-1/8"
F Corner Facing Wall Width	-	-	-	-	77-3/4"	103-7/8"	116-3/16"

Visit www.regency-fire.com for City Series downloads including:

- Specifications
- Detailed drawings
- Manuals
- Framing & clearances





regency-fire.com



©2020 FPI Fireplace Products International Ltd. Regency®, AstroCap® and Heat Wave™ are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (05/20) Part No. 944-427 Your Regency Dealer